

# Heritage 2800

## Window Energy Ratings

### IGU Spec


4mm Optiwhite or Diamant  
 20mm Argon (90%)  
 4mm Climaguard A+  
 Swisspacer Ultimate

Profile Spec	WER Index	WER Band
TCI to frame and sash	n/a	n/a
Steel to mullion only	11.08	A* 11
Steel to sash verticals & mullion	10.40	A* 10
Steel to all sash members & mullion	9.71	A* 10
Steel to frame, sash & mullion	9.03	A+ 9

As above, no low iron

Profile Spec	WER Index	WER Band
TCI to frame and sash	n/a	n/a
Steel to mullion only	6.71	A+ 7
Steel to sash verticals & mullion	6.03	A+ 6
Steel to all sash members & mullion	5.34	A+ 5
Steel to frame, sash & mullion	4.66	A+ 5

Profile Spec	WER Index	WER Band
Steel to frame, sash & mullion plus flipper seals x 2	9.71	A* 10



**deceuninck**

Deceuninck Limited • Stanier Road • Porte Marsh Industrial Estate • Calne • Wiltshire SN11 9PX  
 T 01249 816 969 • F 01249 815 234 • [deceuninck.ltd@deceuninck.com](mailto:deceuninck.ltd@deceuninck.com) • [www.deceuninck.co.uk](http://www.deceuninck.co.uk)

# Heritage 2800

## Window Energy Ratings Triple Glazing


### IGU Spec

4mm Optiwhite or Diamant  
 14mm Argon (90%)  
 4mm Climaguard A+  
 14mm Argon (90%)  
 4mm Climaguard A+  
 Swisspacer Ultimate

Profile Spec	WER Index	WER Band
Steel to sash verticals & mullion	24.00	A* 24
Steel to all sash members & mullion	24.00	A* 24
Steel to frame, sash & mullion	22.63	A* 23

As above, no low iron

Profile Spec	WER Index	WER Band
Steel to sash verticals & mullion	19.63	A* 20
Steel to all sash members & mullion	19.63	A* 20
Steel to frame, sash & mullion	18.26	A* 18



**deceuninck**

Deceuninck Limited • Stanier Road • Porte Marsh Industrial Estate • Calne • Wiltshire SN11 9PX  
 T 01249 816 969 • F 01249 815 234 • [deceuninck.ltd@deceuninck.com](mailto:deceuninck.ltd@deceuninck.com) • [www.deceuninck.co.uk](http://www.deceuninck.co.uk)